| BID TABULATION                                    |  |                                   |              |              |       |                                 |  |
|---|--|-----------------------------------|--------------|--------------|-------|---------------------------------|--|
| MONTGOMERY<br>COLLEGE                             | Montgomery College Procurement Office<br>9221 Corporate Blvd<br>Rockville, MD 20850<br>www.montgomerycollege.edu/procure |                                   |              |              |       |                                 |  |
|   | BID 519-03   | 7 CLINICAL SIN                    | IULATION MED | DICAL EQUIPN | /IENT |                                 |  |
| Bid Opening Date/Time<br>June 12, 2019 @3:00 P.M. |  | Purchasing Agent<br>CHERREE ADAMS |              |              |       | <b>Recorded By</b><br>Lisa Dyer |  |
| BIDDER  | GROUP 1<br>TOTAL   | GROUP 2<br>TOTAL                  |              |              |       |                                 |  |
| Gaumard Scientific                                |  | \$50,821.00                       |              |              |       |                                 |  |
| Laerdal Medical                                   | \$61,111.90  |                                   |              |              |       |                                 |  |
|   |  |                                   |              |              |       |                                 |  |
|   |  |                                   |              |              |       |                                 |  |
|   |  |                                   |              |              |       |                                 |  |
|   |  |                                   |              |              |       |                                 |  |
|   |  |                                   |              |              |       |                                 |  |
|   |  |                                   |              |              |       |                                 |  |
|   |  |                                   |              |              |       |                                 |  |
|   |  |                                   |              |              |       |                                 |  |
|   |  |                                   |              |              |       |                                 |  |
|   |  |                                   |              |              |       |                                 |  |
|   |  |                                   |              |              |       |                                 |  |
|   |  |                                   |              |              |       |                                 |  |
| NR=Non Responsive<br>NB=No Bid                    |  |                                   |              |              |       |                                 |  |